

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

X660

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements.

The time limit for correction of each violation is specified in the narrative portion of this report.

x vs x				· · · · · · · · · · · · · · · · · · ·				
Establishm	ent Name					e of Inspection ID # n/dd/yr)		
Establishment Address (number and street, city, state, zip code)				1/2		2018	18-89	
!				() Owner	' '	ı		
Owner	tem VI	60 ~	1 Plaza New Albany, IN 47150	Purpose:	Pollow w	n Datas	D-4-	
Elias	Roman			Purpose: Follow-up Release Date Routine No TODA				
Owner's A				2. Follow-up Summary of Violations:				
						y of violations;		
Person in C	Charge		/	3. Complaint	1	2	. 2	
			De Leon / Elias Roman			_ NC	R_Z	
Responsibl	e Person's	E-ma	ail / L//03 / ON 100	5. Temporary	Menu Tv	pe (See back	of nage)	
				6. HACCP		V F **6*/		
Certified F	ood Handl	er		7. Other (list)	1 2 3 4 X 5			
Must D	rovide	600	y to FCHD before 1/21/2019	·	·			
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"								
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"								
Section#	C/NC	R		Narrative			To Be Corrected By	
118	C	R	Observed establishment still without CFH				12019	
			- Must privile copy to FCHD					
			- Food Safety Manager 5/year certificate					
			- must feet in person					
	-		- must be actively working in restourant (approx. 5 shifts)					
174	NC		Observed bulk stoples throught to be unlabeled Today					
245	20	R	Observed somitizes range allowed to day throughout surp wers				M	
297	No			gives of equipment reeding cleaned: Today				
_			"Kitchen soda nozzles with hard water buil-p					
			2) tea 60/5 and apigot in Kitchen with hard water					
345	C		Observed food debis in mitchen handsinks				<u>. L.1</u>	
			Culture Culture					
			FCHD must be CEH com befor 1/21/2019					
 			FCHD must have CFH copy before 1/21/2019					
		-	-owner stated that Andres Raman is scarching For tests					
								
	_		5					
Received by (name and title printed): Inspected by (name and title printed):								
Flias Romain A.L. Travar								
Received by (signature): Inspected by (signature):								
Received by (signature): ELias Roman Inspected by (signature): M								
cc:								

El Nopal (Stale)
Floyd County Health Department Inspection Notes CFH tea bulbara + spiget